

Tools

手工具



因联结而喜悦!!
Delight Through Connections

XC-12.2C

自调式四方压线钳 / Self-Adjustable Crimping Pliers


- ◆ 自调式四方压线钳可自动调整，符合线径要求。
- ◆ 可容线径：0.08~10mm² / AWG 28~7。
- ◆ 四方形压接，提供四组锯齿状压线卡爪。
- ◆ 机械压线钳可用于压接多种类型的插针，安全且省力。
- ◆ 特殊的动力传输方式可确保在最大压接力时可节省高达 40% 的人力。

订货规格：DNT13-0102



正四方形

四方套管式专用钳口，独特强力钳头压紧设计，方便使用。



高精密压接孔

高精密端子压接孔，适度压紧端子于电线上而不损坏端子。



德国制弹力钢材

采用德制特殊硬化弹性钢材，提高产品使用寿命。



手柄

防滑塑胶手柄，PVC 全新手柄，加厚设计，握感舒适。

螺丝刀的特点 / The Features of Screwdriver

叮洋螺丝刀特点说明：

- ◆ 根据不同的扭矩应用，产品具有符合人体工学三段式设计的手柄，可提高工作效率。
- ◆ 符合人体工学的软质手柄提供高扭矩，并可消除拧紧螺丝时所产生的物理应力。
- ◆ 在应力过大时，高扭矩系数可以防止螺丝刀折断。
- ◆ 符合 DIN、ISO 和 ANSI 标准。
- ◆ 衣架孔设计可以将螺丝刀插入 T 形把手，以满足更大的扭矩要求。
- ◆ 手柄采用 PP 和 TPV 材料组合避免滑手，对化学、石油和大部分溶剂具有高耐受性。
- ◆ 刀杆采用特种优质 SVCM 合金钢，经过硬化处理后再做镜面镀铬或电镀铬。
- ◆ 确保刀尖与每一个螺丝头能完美结合。

叮洋的通用螺丝刀优势：

- ◆ 方形手柄设计，防止螺丝刀滚动。
- ◆ 依不同手握设计的手柄可均匀分散压力，减少施力时的疼痛，并能产生较高的扭矩系数。
- ◆ 流线型手柄设计，让您紧握时手感舒适服贴。
- ◆ 前端止滑造型可避免使用时打滑，剑柄状把手可以保护您的手防止受伤。

叮洋的电工螺丝刀优势：

- ◆ 符合 IEC 60900 标准。
- ◆ 螺丝刀的形式和尺寸标示在手柄上，在工作场所可轻易找到适用的螺丝刀。
- ◆ "五角形"手柄设计，防止螺丝刀滚动。
- ◆ 专利双层绝缘设计，有更安全的保护。
- ◆ 双层设计具有安全警示功能。当外层破裂并裸露出内部黄色层时，请立即更换螺丝刀。

Features of Dinkle Screwdrivers :

- ◆ Three-section ergonomic handle improves work efficiency when working under different torque applications.
- ◆ Ergonomic and soft material handle provides high torsion and erases the physical stresses of screwdriving.
- ◆ The high torque value prevents the screwdriver from breaking when it is overstressed.
- ◆ Meets the DIN, ISO and ANSI standards.
- ◆ Hanger hole on the handle can transform the screwdriver into a T-handle for greater torque requirements.
- ◆ PP and TPV materials of the handle avoid slippery and provide resistance to chemical, oil and most solvents.
- ◆ Blade made of special high quality SVCM steel alloy, through hardening treatment, followed by satin chrome or chrome plating.
- ◆ Blade tip ensures a perfect fit.

Advantages of Dinkle Regular Screwdrivers :



- ◆ Square-shaped handle prevents from rolling.
- ◆ The handle was designed in according to different hand-holding. It can disperse the pressure evenly and reduce discomfort when applying force. The handle also generates higher torque value.
- ◆ Streamlined handle design fits your hand comfortably for a firm grip.
- ◆ The anti-slip design of handle in front portion can avoid slipping in application, and the sword handle can protect your hand.

Advantages of Dinkle Insulated Screwdrivers :

- ◆ Meets the IEC 60900 standard.
- ◆ The screw symbol and tip size markings on the handle make it easier to find the right screwdriver at work place.
- ◆ "Pentagon" neck sharp design prevents from rolling.
- ◆ Patented dual layer insulation design for greater safety protection.
- ◆ Dual layer design with safety alert feature. When external layer breaks and exposes the internal yellow layer, the screwdriver must be replaced immediately.

一字螺丝刀 / Slotted Screwdriver

十字螺丝刀 / Phillips Screwdriver




订货规格	尺寸(mm)	A	B	C	D	E	F	内盒数量	外箱数量
DNT11-0102	2.5 x 75	0.4	2.5	2.5	75	21.6	70	12	600
DNT11-0107	3.5 x 100	0.6	3.5	3.5	100	21.6	70	12	600
DNT11-0109	4.0 x 100	0.8	4.0	4.0	100	21.6	70	12	300
DNT11-0111	5.5 x 150	1.0	5.0	5.0	150	27.2	90	12	300

订货规格	尺寸(mm)	C	D	E	F	内盒数量	外箱数量
DNT11-0201	#0 x 60	3.0	60	21.6	70	12	300
DNT11-0202	#1 x 80	5.0	80	27.7	90	12	300
DNT11-0205	#2 x 100	6.0	100	33	108	12	180
DNT11-0208	#3 x 150	8.0	150	37.5	122	6	120

绝缘一字螺丝刀 / Insulated Slotted Screwdriver

绝缘十字螺丝刀 / Insulated Phillips Screwdriver



订货规格	尺寸(mm)	A	B	D	E	F	内盒数量	外箱数量
DNT11-0301	2.5 x 75	0.4	2.5	75	21.8	70	12	600
DNT11-0302	3.0 x 100	0.5	3.0	100	21.8	70	12	600
DNT11-0303	4.0 x 100	0.8	4.0	100	31.6	100	12	600
DNT11-0304	5.5 x 125	1.0	5.5	125	31.6	100	12	240
DNT11-0305	6.5 x 150	1.2	6.5	150	34.7	110	12	180
DNT11-0306	8.0 x 175	1.2	8.0	175	38.6	122	6	120
DNT11-0307	3.5 x 100	0.6	3.5	100	21.8	70	12	600

订货规格	尺寸(mm)	C	D	E	F	内盒数量	外箱数量
DNT11-0401	#0 x 60	3.0	60	21.8	70	12	600
DNT11-0402	#1 x 80	5.0	80	31.6	100	12	240
DNT11-0403	#2 x 100	6.0	100	34.7	110	12	180
DNT11-0404	#3 x 150	8.0	150	38.6	122	6	120

多功能螺丝刀 / Multiple Function Screwdriver

- ◆ 本体-可存放刀头棘轮手柄，含双向六角杆 1 支（1/4”，5/16” 双尺寸）

The main ratchet handle can store all screwdriver bits including a double-ended hexagonal post (1/4" & 5/16")

- ◆ 8 支双向刀头规格如下：

8 pcs of double-ended screwdriving bits as below:



订货规格	产品名称	外箱数量
DNT11-9901	19 合一可替换式多功能棘轮螺丝刀组 19 in 1 interchangeable ratchet screwdriver set	50
规格 Specification		
1/4" 双向刀头	1/4" double-ended screwdriving bit	⊖ 4mm & ⊕ # 0
1/4" 双向刀头	1/4" double-ended screwdriving bit	⊖ 5mm & ⊕ # 1
1/4" 双向刀头	1/4" double-ended screwdriving bit	⊖ 6mm & ⊕ # 2
1/4" 双向刀头	1/4" double-ended screwdriving bit	⊕ # 1 & ⊕ # 2
1/4" 双向刀头	1/4" double-ended screwdriving bit	● 2.5mm & ● 4.0mm
1/4" 双向刀头	1/4" double-ended screwdriving bit	● 3.0mm & ● 5.0mm
5/16" 双向刀头	5/16" double-ended screwdriving bit	⊖ 8mm & ⊕ # 3
精密螺丝头	Precision screwdriving bit	⊖ 2mm & ⊕ # 00



町洋企業股份有限公司

DINKLE ENTERPRISE CO., LTD.

台湾新北市五股区五权二路19号(新北产业园区)
No.19,Wuquan 2nd Road., Wugu District,
New Taipei City 24890, Taiwan
TEL:+886-2-8069-9000 7705-6900
FAX:+886-2-2290-1702(代表号)
E-mail:service@dinkle.com
Web site:http://www.dinkle.com

町洋电气贸易(上海)有限公司

DINKLE ELECTRIC TRADING (SHANGHAI) CO., LTD.

上海市徐汇区虹桥路3号港汇中心二座3706单元
Unit 3706, 2 Grand Gateway, No. 3 Hongqiao Road,
Xuhui District, Shanghai City.
TEL:+86-21-6487-0636 6427-3157
FAX:+86-21-3356-2500
E-mail:service@dinkle.com
Web site:http://www.dinkle.com

町洋國際股份有限公司

DINKLE INTERNATIONAL CO., LTD.

台湾新北市五股区五权二路19号(新北产业园区)
No.19,Wuquan 2nd Road., Wugu District,
New Taipei City 24890, Taiwan
TEL:+886-2-8069-9000 7705-6900
FAX:+886-2-2290-1702
E-mail:service@dinkle.com
Web site:http://www.dinkle.com



官方网站



官方微信



电子样本

微信号:Dinkle-dyjd

E-mail:Support.SH@dinkle.com.cn

Web site:http://www.dinkle.com

町洋机电(中国)有限公司

DINKLE ELECTRIC MACHINERY (CHINA) CO., LTD.

江苏省昆山市千灯镇石浦工商管理区兴浦中路388号(215343)
No.388,Xingpu Mid RD,Shipu Business Administration Estate,
Qiandeng Town,Kunshan City,Jiangsu Province,China
TEL:+86-512-5708-8588
FAX:+86-512-5708-8600
E-mail:service@dinkle.com
Web site:http://www.dinkle.com

东莞立洋电机有限公司

LIYAN ELECTRIC MACHINERY (DONGGUAN) CO., LTD.

广东省东莞市黄江镇鸡啼岗金钱岭一街2号(523757)
No.2, 1st street Jinqianlin,Jiti gang industrial park,
Huangjiang town,Dongguan City,Guangdong Province,China
TEL:+86-769-8336-4350 8336-4370
FAX:+86-769-8384-8634
E-mail:service@dinkle.com
Web site:http://www.dinkle.com

町洋美国分公司

DINKLE CORPORATION, USA

12613 Executive Drive,Suite 704,Stafford,Texas 77477
TEL:+1-832-539-4703
Toll-Free:+1-844-273-1850
FAX:+1-832-532-7226
E-mail:service@dinkle.com.
Web site:http://www.dinkle.com

町洋意大利分公司

DINKLE ITALIA BUDGET ELECTRONICS

Via Stabilini n°14,23864 Malgrate(LC),Italia
TEL:+39/0341176154
E-mail:service@dinkle.com.
Web site:http://www.dinkle.com

Dinkle remains the right of product modification and engineering change of design. The catalogue is for reference only.The final product is made according to actual engineering drawing.

本公司对产品保有修改、设变权，目录仅供参考，实际产品仍需依照工程图面为准。